support@prolinerangehoods.com | 877.901.5530

# Product Sheet: ProVL

**The ProVL** The ProV Insert has been designed to have full variable speed, including your own choice of blowers. It is guaranteed to have the best value, application, flexibility, and performance. We guarantee you will not be disappointed! This model comes with the choice of a local blower (1700 CFM or 1200 CFM) or an in-line 1300 CFM. This will allow you to fit this liner into any project. The main difference between this model and other inserts, besides the blower customization, is the design and the addition of heat lights in the grill. It also comes with 2 or 3 LED lights (depending on the width), dishwasher-safe stainless steel filters, variable speed knobs.

# **Configuration and Dimensions**

28.125 / 34.125 / 40.125 46.125 / 52.125 / 58.125

| Hood Type                       |
|---------------------------------|
| Sizes Available                 |
| 28" Dimensions                  |
| 34" Dimensions                  |
| 40" Dimensions                  |
| 46" Dimensions                  |
| 52" Dimensions                  |
| 58" Dimensions                  |
| Lip/Flange width for all models |
|                                 |

## Features

| Control Type | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | Rheostat Knobs |
|--------------|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|----------------|
| Lighting     |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   |   | Halogen or LED |

## Ventilation System

| Ventilation System                                    |
|---|
| Maximum Air Flow Capacity 1200, 1300 or 1700 CFM      |
| Speed Levels  |
| Airflow (Quiet/Low/Med/High) 0-1200, 0-1300 or 0-1700 |
| Noise Level   |
| Duct Type/Size  |
| Voltage   |
| Motor Single High efficiency Variable/Inline Option   |
| Local Blowers are Dual                                |
| Filter Type Stainless Steel Baffle (Dishwasher Safe)  |
| Material  |
| Warranty  |
|   |







