

**PLJL.INS** If you're looking to remodel, the PLJL range hood insert is for you. Build your beautiful custom hood to enjoy the exceptional design and unparalleled power of this range hood insert. The PLJL insert can be installed in just a few easy steps. With its 600 CFM single blower (or 1200 CFM for dual blowers), you'll be breathing clean air in no time. At its max power, the PLJL insert only produces 7 sones, equivalent to normal conversation, allowing you to socialize with and enjoy the company of your guests. Turn the power down with four-speed elegant stainless steel push buttons for an even quieter experience. Invite people to your home and they won't even notice the insert as it keeps your kitchen fresher than ever. If you're cooking quite a lot of food, press the convenient time-delay button that turns your hood off after 15 minutes. It will ensure that your cooking space is smoke, dirt, and grease-free. Enjoy a pristine kitchen with the PLJL range hood insert.

**Configuration and Dimensions**

	28	34	40	46
A	26.5	32.375	38.25	44.25
B	28.125	34.125	39.875	45.875
C	13.625	13.625	13.625	13.625
D	15	15	15	15
E	14.375	14.375	14.375	14.375
F	13.75	13.75	13.75	13.75
G	3.625	3.625	3.625	3.625
H	.625	.625	.625	.625
I	17.25	17.25	20.25	20.25
J	.75	.75	.75	.75
K	.625	.625	.625	.625
L	6 or 8	6 or 8	6 or 8	6 or 8


Hood Type . . . . . Insert

**Features**

Control Type . . . . . Stainless Steel Push Buttons  
Lighting . . . . . LED

**Ventilation System**

Maximum Air Flow Capacity . . . . . 600 or 1200 CFM  
Speed Levels . . . . . 4 Speeds  
Airflow (Quiet/Low/Med/High). . . . . 150/300/450/600  
or 300/600/900/1200  
Noise Level . . . . . 48.0 db or 4 Sones Max  
or 53.8 db or 6 Sones Max  
Duct Type/Size . . . . . Single 6 (600 CFM) or Dual 8 (1200 CFM)  
Voltage . . . . . 110v  
Motor . . . . . Single or Dual  
Filter Type . . . . . Stainless Steel Baffle (Dishwasher Safe)  
Material . . . . . High Quality 430 Stainless Steel  
Warranty . . . . . 3 Year Parts Warranty



**PLJL.INS** If you're looking to remodel, the PLJL range hood insert is for you. Build your beautiful custom hood to enjoy the exceptional design and unparalleled power of this range hood insert. The PLJL insert can be installed in just a few easy steps. With its 600 CFM single blower (or 1200 CFM for dual blowers), you'll be breathing clean air in no time. At its max power, the PLJL insert only produces 7 sones, equivalent to normal conversation, allowing you to socialize with and enjoy the company of your guests. Turn the power down with four-speed elegant stainless steel push buttons for an even quieter experience. Invite people to your home and they won't even notice the insert as it keeps your kitchen fresher than ever. If you're cooking quite a lot of food, press the convenient time-delay button that turns your hood off after 15 minutes. It will ensure that your cooking space is smoke, dirt, and grease-free. Enjoy a pristine kitchen with the PLJL range hood insert.

**Configuration and Dimensions**

	28	34	40	46
A	26.5	32.375	38.25	44.25
B	28	34	39.875	45.875
C	16.625	16.625	16.625	16.625
D	18	18	18	18
E	14.375	14.375	14.375	14.375
F	13.75	13.75	13.75	13.75
G	3.625	3.625	3.625	3.625
H	.625	.625	.625	.625
I	17.25	17.25	20.25	23.25
J	.75	.75	.75	.75
K	.625	.625	.625	.625
L	6 or 8	6 or 8	6 or 8	6 or 8


Hood Type . . . . . Insert

**Features**

Control Type . . . . . Stainless Steel Push Buttons  
Lighting . . . . . LED

**Ventilation System**

Maximum Air Flow Capacity . . . . . 600 or 1200 CFM  
Speed Levels . . . . . 4 Speeds  
Airflow (Quiet/Low/Med/High). . . . . 150/300/450/600  
or 300/600/900/1200  
Noise Level . . . . . 48.0 db or 4 Sones Max  
or 53.8 db or 6 Sones Max  
Duct Type/Size . . . . . Single 6 (600 CFM) or Dual 8 (1200 CFM)  
Voltage . . . . . 110v  
Motor . . . . . Single or Dual  
Filter Type . . . . . Stainless Steel Baffle (Dishwasher Safe)  
Material . . . . . High Quality 430 Stainless Steel  
Warranty . . . . . 3 Year Parts Warranty



**PLJL.INS** If you're looking to remodel, the PLJL range hood insert is for you. Build your beautiful custom hood to enjoy the exceptional design and unparalleled power of this range hood insert. The PLJL insert can be installed in just a few easy steps. With its 600 CFM single blower (or 1200 CFM for dual blowers), you'll be breathing clean air in no time. At its max power, the PLJL insert only produces 7 sones, equivalent to normal conversation, allowing you to socialize with and enjoy the company of your guests. Turn the power down with four-speed elegant stainless steel push buttons for an even quieter experience. Invite people to your home and they won't even notice the insert as it keeps your kitchen fresher than ever. If you're cooking quite a lot of food, press the convenient time-delay button that turns your hood off after 15 minutes. It will ensure that your cooking space is smoke, dirt, and grease-free. Enjoy a pristine kitchen with the PLJL range hood insert.

**Configuration and Dimensions**

	28	34	40	46
A	26.5	32.375	38.325	44.25
B	28	34	40	45.875
C	19.625	19.625	19.625	19.625
D	21	21	21	21
E	14.375	14.375	14.375	14.375
F	13.75	13.75	13.75	13.75
G	3.625	3.625	3.625	3.625
H	.625	.625	.625	.625
I	17.25	17.25	20.25	23.25
J	.75	.75	.75	.75
K	.625	.625	.625	.625
L	6 or 8	6 or 8	6 or 8	6 or 8

Hood Type . . . . . Insert

**Features**

Control Type . . . . . Stainless Steel Push Buttons  
Lighting . . . . . LED

**Ventilation System**

Maximum Air Flow Capacity . . . . . 600 or 1200 CFM  
Speed Levels . . . . . 4 Speeds  
Airflow (Quiet/Low/Med/High). . . . . 150/300/450/600  
or 300/600/900/1200  
Noise Level . . . . . 48.0 db or 4 Sones Max  
or 53.8 db or 6 Sones Max  
Duct Type/Size . . . . . Single 6 (600 CFM) or Dual 8 (1200 CFM)  
Voltage . . . . . 110v  
Motor . . . . . Single or Dual  
Filter Type . . . . . Stainless Steel Baffle (Dishwasher Safe)  
Material . . . . . High Quality 430 Stainless Steel  
Warranty . . . . . 3 Year Parts Warranty